




Can go anywhere.

Perfect light for on the move.



OSRAM DULUX® COPILOT® L



OSRAM COPILOT® L

SEE THE WORLD IN A NEW LIGHT





**The proven OSRAM COPILOT®
OSRAM DULUX® COPILOT® L
light when out and about.**

**High-intensity, flexible,
economical.**

The successful COPILOT® family from OSRAM has gained a brilliant addition. With the new OSRAM DULUX® COPILOT® L you will save energy while out and about by car, truck, boat or caravan and still be perfectly lit.





PILOT® Halogen range has a new family member. COPILLOT® L – the energy-saving light bulb for brilliant output.

DULUX® COPILOT® L: New mobile lamp.



Economical and high-intensity – for the entire lifetime of the light. With its 5W energy-saving bulb the new OSRAM DULUX® COPILOT® L lasts for so long that the bulb never needs to be replaced.

The reading light with a flexible metal arm and a head which can be turned through 360 degrees is permanently installed in the vehicle.


That is no problem at all with a little bit of skill thanks to the installation set supplied with the lamp. The OSRAM DULUX® COPILOT® L is available in two versions and is designed for either 12 or 24 volts. OSRAM DULUX® COPILOT® L with swivel head for pleasant, non-dazzle light on journeys.

Three strong lights in proven halogen technology.



The range covered by the proven COPILOT® family with halogen bulb extends from very compact to extra large. The short version has a length of 10 cm, the M version for connection through the cigarette lighter is 20 cm long and the L version, like the OSRAM DULUX® COPILOT® L, has a 50 cm flexible swivel arm.


Here too the long version is available for 12 and 24 volts. All the other COPILOT® reading lights with swivel lamp head are supplied with a complete installation kit.



Quick and easy installation.



A sturdy base, two drill holes common for all COPILOT® lamps, two screws and two cables for the power supply – that is all you need for connecting the COPILOT® and OSRAM DULUX® COPILOT® L. It really could not be simpler.



Easy connection.

COPILOT® M is even easier to use – simply connect to the vehicle cigarette lighter for instant light.




Technical Data

	OSRAM DULUX® COPILOT® L	COPILOT® L	COPILOT® K	COPILOT® M
Type	12 V/24 V	12 V/ 24 V	12 V	12 V
Product designation	41541/41546	41509/41509/24	41508	41510
Product number (EAN)	4050300 850986/851013	4050300 014050/014067	4050300 010632	4050300 016856
Voltage	12 V/ 24 V	12 V	12 V	12 V
(only direct voltage)				
VSE	4	4	4	4
Nominal power	5 W	5 W	5 W	5 W
Dimensions L x W x H	670x40x134 mm	580x52x42 mm	212x52x42 mm	316x52x42 mm
Colour	anthrazit	black	black	black
Lamp	OSRAM DULUX® S/E 5 W non-replaceable	MINIWATT® HALOGEN 12V5W 64111		
Installation	Sturdy base	Sturdy base	Sturdy base	Vehicle for cigarette lighter
Safety class	III	III	III	III
Fig. No.	1	2	3	4



OSRAM DULUX®
COPILOT® L



OSRAM DULUX®
COPILOT® L



COPILOT® L



COPILOT® K



COPILOT® M