






NEW OSRAM Range of LED Luminaires

DRAGONPOINT®... Emphasise the point...



LONG LASTING &
ENERGY SAVING!



SEE THE WORLD IN A NEW LIGHT

OSRAM




DRAGONPOINT®... Emphasise the point.

Modern LED technology has several advantages over conventional light sources. LED's are shatterproof, they have a service life of up to 30,000 hours and they are energy saving.


The new DRAGONPOINT® range of LED luminaires from OSRAM offers great solutions for a variety of indoor and outdoor applications. From accent lighting applications to orientation and creative lighting effects, the DRAGONPOINT® range offers a product to suit.

The flawless finish across the entire DRAGONPOINT® range is beautifully crafted from high quality brushed aluminium, which gives the collection a simple yet elegant appearance. The range includes a variety of square and round recessed spot downlights with fixed or swivel features to appeal across the board, along with an IP65 rated fitting suitable for outdoor applications.




DL-RS-30

OSRAM 1W GOLDEN DRAGON White LED powered luminaire fits perfectly for ceiling & furniture down-lighting. A recessed spot with swivel head enables flexible beam directions.




Product reference:	DL-RS-30
EAN 10:	4008321 237842
Driven with:	350mA constant current
Power:	Pmax = 1.2W
Lamp fitted:	1W Golden Dragon® 5400K High Power LED with lens integrated
LED life time:	30,000 hours
LED Color	WHITE 5400K
Dimensions:	52mm(D)x21.1mm(H)
Material	Brushed Aluminium
Protection class:	III
Type of protection:	IP20
Recommended Power Supply:	OPTOTRONIC OTe 9/220-240/350
Standard pack:	4pcs




DL-RF


Equipped with OSRAM 1W GOLDEN DRAGON White LED, the recessed spot is ideal for furniture, ceiling, wall or ground downlighting. The waterproof design IP65 makes it suitable for outdoor use.




Product reference:	DL-RF
EAN 10:	4008321 237989
Driven with:	350mA constant current
Power:	Pmax = 1.2W
Lamp fitted:	1W Golden Dragon® 5400K High Power LED with lens integrated
LED life time:	30,000 hours
LED Color	WHITE 5400K
Dimensions:	42mm(D)x48mm(H)
Material	Brushed Aluminium
Protection class:	III
Type of protection:	IP65
Recommended Power Supply:	OPTOTRONIC OTe 9/220-240/350
Standard pack:	4pcs




DL-RF-30
OSRAM 1W GOLDEN DRAGON White LED
powered luminaire fits perfectly for ceiling
& furniture downlighting.



Product reference:	DL-RF-30
EAN 10:	4008321 237927
Driven with:	350mA constant current
Power:	Pmax = 1.2W
Lamp fitted:	1W Golden Dragon® 5400K High Power LED with lens integrated
LED life time:	30,000 hours
LED Color	WHITE 5400K
Dimensions:	42mm(D)x21.5mm(H)
Material	Brushed Aluminium
Protection class:	III
Type of protection:	IP20
Recommended Power Supply:	OPTOTRONIC OTe 9/220-240/350
Standard pack:	4pcs




DL-QS-2-12
A double-head recessed downlight
powered by OSRAM 1W GOLDEN
DRAGON White LEDs fits perfectly
for ceiling & furniture downlighting.
The swivel heads allow flexible beam
directions.




Product reference:	DL-QS-2-12
EAN 10:	4008321 238023
Driven with:	350mA constant current
Power:	Pmax = 1.2W
Lamp fitted:	1W Golden Dragon® 5400K High Power LED with lens integrated
LED life time:	30,000 hours
LED Color	WHITE 5400K
Dimensions:	112mm(L)x60mm(W)x20mm(H)
Material	Brushed Aluminium
Protection class:	III
Type of protection:	IP20
Recommended Power Supply:	OPTOTRONIC OTe 9/220-240/350
Standard pack:	4pcs



DL-QS-5-12
A set of 5 recessed spots downlight
powered by OSRAM 1W GOLDEN DRAGON
White LEDs is ideal for professional ceiling
& furniture downlighting. The swivel heads
allow flexible beam directions.




Product reference:	DL-QS-5-12
EAN 10:	4008321 238108
Driven with:	350mA constant current
Power:	Pmax = 1.2W
Lamp fitted:	1W Golden Dragon® 5400K High Power LED with lens integrated
LED life time:	30,000 hours
LED Color	WHITE 5400K
Dimensions:	268mm(L)x60mm(W)x20mm(H)
Material	Brushed Aluminium
Protection class:	III
Type of protection:	IP20
Recommended Power Supply:	OPTOTRONIC OTe 9/220-240/350
Standard pack:	4pcs



DL-QF

A square-head recessed downlight equipped with OSRAM 1W GOLDEN DRAGON White LED is designed for Wall mounted orientation lighting.



Product reference:	DL-QF
EAN 10:	4008321 238009
Driven with:	350mA constant current
Power:	Pmax = 1.2W
Lamp fitted:	1W Golden Dragon® 5400K High Power LED with lens integrated
LED life time:	30,000 hours
LED Color	WHITE 5400K
Dimensions:	90mm(L)x90mm(W)x40mm(H)
Material	Brushed Aluminium
Protection class:	III
Type of protection:	IP20
Recommended Power Supply:	OPTOTRONIC OTe 9/220-240/350
Standard pack:	4pcs

Ote 9/220-240/350


The DRAGONPOINT range is equipped with the sophisticated OSRAM 1W GOLDEN DRAGON White LED. Combined with OSRAM's OPTOTRONIC control gear, the DRAGONPOINT range provides the ideal basis for lighting solutions that are both creative and efficient.



Constant current LED Power Supply - EAN: 4008321 210630
One OTe 9/220-240/350 can connect up to 6 LED light sources in series.




DRAGON BL CON BOX 3 SOCKETS
EAN: 4008321 277060



DRAGON BL CON BOX 6 SOCKETS
EAN: 4008321 277084

Unused terminals must be filled using looped wires provided in the pack.

	DRAGONPOINT (All Versions)	Power supply: OTe 9/220-240/350
Input voltage	24 VDC	220-240 VAC
Rated power	1.2 W	9 W
Mains Frequency (Hz)	--	50/ 60 Hz



For further information please contact
OSRAM Customer Service 1300 4 OSRAM.

